



County of San Bernardino • Department of Public Health
Division of Environmental Health Services

LAND USE PROTECTION PROGRAM
MOSQUITO AND VECTOR CONTROL - OFFICIAL INSPECTION REPORT

www.sbcounty.gov/dehs

(800) 442-2283

FACILITY NAME EGGMASTER INC				DATE 12/19/2012	SIGNATURE
LOCATION 10863 FREMONT ST, YUCAIPA, CA 92399					REINSPECTION DATE Not Specified
MAILING ADDRESS 10863 FREMONT ST, YUCAIPA, CA 92399					PERMIT EXPIRATION 8/31/2013
<input checked="" type="checkbox"/> FACILITY <input type="checkbox"/> OWNER <input type="checkbox"/> ACCOUNT					REHS LeeAnn Drouault
FA # FA0007341	PR # PR0010397	SR # Not Specified	CO # Not Specified	PE 4001	PROGRAM IDENTIFIER: None
TIME IN 1:48 PM	TIME OUT 2:19 PM	CONTACT Not Captured			SERVICE: 001 - Inspection - Routine
					RESULT: 01 - Corrective Action Not Required
					ACTION: 01 - No Further Action Required

MOSQUITO AND VECTOR CONTROL - POULTRY RANCH PERMIT ALL

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50

Inspection Violations

Plan Check Information - Type of inspection and/or status of review

1. City of Yucaipa - MMP

Compliance Date not Specified

Violation Description: This poultry ranch is in compliance with the City of Yucaipa Ordinance Number 216.

Not In Compliance

Inspector Comments:

Violation Reference: CCR - 216

Overall Inspection Comments

Inspection found:

Adult fly population light on ranch at time of inspection.

Pesticide log recorded use of Larvadex as a larvacide on 12/8/12, and

Vapona sprayed on 12/7/12 as a larvacide in house 7.

No active watering system leaks observed.

Lime needed on wet manure from prior watering system leaks.

No violations observed.