

County of San Bernardino • Department of Public Health ENVIRONMENTAL HEALTH SERVICES

LAND USE PROTECTION PROGRAM

www.sbcounty.gov/dehs	MOSQUITO AND VECTOR CONTROL - OFFICIAL INSPECTION							
	SAN BERNARDINO HESPERIA RANCHO CUCAMONGA (909) 387-4608 (760) 995-8154 (909) 948-5058							
FACILITY NAME EGGMASTER INC			DATE 7/11/2012	SIGNATURE				
LOCATION 10863 FREMONT ST, YUCAI	IPA, CA 92399			REINSPECTION DATE Not Specified	PERMIT EXPIRATION 8/31/2012			
OWNER/PERMITTEE EGGMASTER INC	CONTACT Not Captured		TITLE Not Captured	(909)453-2647				
mailing address 10863 FREMONT ST, YUCAI	PA, CA 92399	ØFACILITY □OWNER [JACCOUNT	INSPECTOR LeeAnn Drouaul	ţ			

	10000 Indinion i						
		PR #	SR#	CO #	PE	PROGRAM IDENTIFIER: None	
	FA0007341	PR0010397	Not Specified	Not Specified	4001	SERVICE: 001 - Inspection - Routine	
	10:03 AM	^{тіме оцт} 10:45 AM	FAX Not Specified	EMAIL Not Specified		RESULT: 01 - Corrective Action Not Required ACTION: 01 - No Further Action Required	
1							

MOSQUITO AND VECTOR CONTROL - POULTRY RANCH PERMIT ALL

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$104.00/hour.

-Inspection Violations Plan Check Information - Type of inspection and/or status of review 1. City of Yucaipa - MMP Violation Description: This poultry ranch is in compliance with the City of Yucaipa Ordinance Number 216. Compliance Date not Specified Not In Compliance Inspector Comments: Violation Reference: CCR - 216 Overall Inspection Comments Inspection found: Adult fly population light on ranch at time of inspection. Pesticide log recorded use of Evergreen as an adulticide on 6/25/12. Neporex applied on 7/12/12. No active watering system leaks. Wet manure treated with lime. No violations observed.