



LAND USE PROTECTION PROGRAM

MOSQUITO AND VECTOR CONTROL - OFFICIAL INSPECTION REPORT

www.sbcounty.gov/dehs

(800) 442-2283

FACILITY NAME HOOVER RANCH #1					DATE 4/1/2013	SIGNATURE	
LOCATION 35999 CARTER ST, YUCAIPA, CA 92399					REINSPECTION DATE Not Specified		PERMIT EXPIRATION 12/31/2012
MAILING ADDRESS 35999 CARTER ST, YUCAIPA, CA 92399					<input checked="" type="checkbox"/> FACILITY <input type="checkbox"/> OWNER <input type="checkbox"/> ACCOUNT		
FA # FA0007347	PR # PR0006300	SR # Not Specified	CO # Not Specified	PE 4001	REHS LeeAnn Drouault		
TIME IN 11:58 AM					TIME OUT 1:07 PM		
CONTACT Not Captured					PROGRAM IDENTIFIER: CONVENTIONAL/ENVIRONMENTAL/G		
					SERVICE: 001 - Inspection - Routine		
					RESULT: 05 - Corrective Action / Follow up Required		
					ACTION: 03 - Reinspection Required		

MOSQUITO AND VECTOR CONTROL - POULTRY RANCH PERMIT ALL

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50

Inspection Violations

Plan Check Information - Type of inspection and/or status of review

1. City of Yucaipa - MMP violation

Compliance Date not Specified

Violation Description: This poultry ranch has the following violation(s) to be corrected in order to be in compliance with the City of Yucaipa Ordinance Number 216.

Not In Compliance

Violation Reference: CCR - 216

Inspector Comments:

Overall Inspection Comments

Inspection found:

Adult fly population light to moderate on ranch at time of inspection.

Pesticide log recorded use of Evergreen daily as an adulticide.

Neporex due to be used on Friday.

Advised Mr Hoover of breeding on dropping boards, will follow-up next week.

No active watering system leaks observed.

Lime needed on wet manure from prior watering system leaks.

Manure pulled out of houses 10 - 12.