

County of San Bernardino • Department of Public Health ENVIRONMENTAL HEALTH SERVICES

LAND USE PROTECTION PROGRAM

MOSQUITO AND VECTOR CONTROL - OFFICIAL INSPECTION					
SAN BERNARDINO	HESPERIA	RANCHO CUCAMONGA			

	(!	909) 387-4608	(760) 995-8154	(909) 948	-5058		
FACILITY NAME HOOVER RANC	CH #1			date 4/25/2012	SIGNATURE		
LOCATION 35999 CARTER ST,	YUCAIPA, CA 9239	9		·	REINSPECTION DATE	PERMIT EXPIRATION 12/31/2012	
OWNER/PERMITTEE HOOVER HERBER	Т	CONTACT Not Captured		Not Captured	PHONE		
MAILING ADDRESS EFACILITY DOWNER DACCOUNT					INSPECTOR LeeAnn Drouault		
FA# FA0007347	PR# PR0006300	^{SR #} Not Specified	^{co#} Not Specified	^{ре} 4001	PROGRAM IDENTIFIER: CONVENTIONAL/ENVIRONMENTAL/ SERVICE: 001 - Inspection - Routine		
10:20 AM	11:43 AM	Not Specified	EMAIL Not Specified		RESULT: 01 - Corrective Action Not Required ACTION: 01 - No Further Action Required		

MOSQUITO AND VECTOR CONTROL - POULTRY RANCH PERMIT ALL

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$104.00/hour.

-Inspection Violations Plan Check Information - Type of inspection and/or status of review 1. City of Yucaipa - MMP Violation Description: This poultry ranch is in compliance with the City of Yucaipa Ordinance Number 216. **Compliance Date not Specified** Complied on 4/25/2012 Inspector Comments: Violation Reference: CCR - 216 Overall Inspection Comments Inspection found: Adult fly population moderate on ranch at time of inspection. Pesticide log recorded use of Evergreen daily as an adulticide. Ravap sprayed as a larvacide in houses 1, 3, 4, 5 on 4/24/12. No active watering system leaks observed. Lime applied to prior watering system leak. No violations observed.