www.sbcounty.gov/dehs

County of San Bernardino • Department of Public Health
ENVIRONMENTAL HEALTH SERVICES

LAND USE PROTECTION PROGRAM
MOSQUITO AND VECTOR CONTROL - OFFICIAL INSPECTION

SAN BERNARDINO	HESPERIA	RANCHO CUCAMONGA
(909) 387-4608	(760) 995-8154	(909) 948-5058

FACILITY NAME: HOOVER RANCH #1				DATE: 7/19/2012	SIGNATURE:
LOCATION: 35999 CARTER ST, YUCAIPA, CA 92399					REINSPECTION DATE: Not Specified / PERMIT EXPIRATION: 12/31/2012
OWNER/PERMITTEE: HOOVER HERBERT	CONTACT: Not Captured			TITLE: Not Captured	PHONE:
MAILING ADDRESS: 35999 CARTER ST, YUCAIPA, CA 92399 ☑FACILITY ☐OWNER ☐ACCOUNT					INSPECTOR: LeeAnn Drouault
FA #: FA0007347	PR #: PR0006300	SR #: Not Specified	CO #: Not Specified	PE: 4001	PROGRAM IDENTIFIER: CONVENTIONAL/ENVIRONMENTAL/
TIME IN: 2:43 PM	TIME OUT: 3:33 PM	FAX: Not Specified	EMAIL: Not Specified		SERVICE: 001 - Inspection - Routine RESULT: 01 - Corrective Action Not Required ACTION: 01 - No Further Action Required

MOSQUITO AND VECTOR CONTROL - POULTRY RANCH PERMIT ALL

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of $122.50/hour.

Inspection Violations

Plan Check Information - Type of inspection and/or status of review

1. City of Yucaipa - MMP

Compliance Date not Specified

Not In Compliance

Violation Reference: CCR - 216

Violation Description: This poultry ranch is in compliance with the City of Yucaipa Ordinance Number 216.

Inspector Comments:

Overall Inspection Comments

inspection found:
Adult fly population light on ranch at time of inspection.
Pesticide log recorded use of Evergreen twice daily as an adulticide.
No active watering system leaks observed.
Overhead spray/ mist system on at time of inspection.
No violations observed