



County of San Bernardino • Department of Public Health
Division of Environmental Health Services

LAND USE PROTECTION PROGRAM

MOSQUITO AND VECTOR CONTROL - OFFICIAL INSPECTION REPORT

www.sbcounty.gov/dehs

(800) 442-2283

FACILITY NAME HOOVER RANCH #1		DATE 9/20/2012	SIGNATURE	
LOCATION 35999 CARTER ST, YUCAIPA, CA 92399			REINSPECTION DATE Not Specified	PERMIT EXPIRATION 12/31/2012
MAILING ADDRESS 35999 CARTER ST, YUCAIPA, CA 92399			REHS LeeAnn Drouault	
FA # FA0007347	PR # PR0006300	SR # Not Specified	CO # Not Specified	PE 4001
TIME IN 11:21 AM	TIME OUT 12:28 PM	CONTACT Not Captured		
PROGRAM IDENTIFIER: CONVENTIONAL/ENVIRONMENTAL/G				
SERVICE: 001 - Inspection - Routine				
RESULT: 01 - Corrective Action Not Required				
ACTION: 01 - No Further Action Required				

MOSQUITO AND VECTOR CONTROL - POULTRY RANCH PERMIT ALL

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50.

Inspection Violations

Plan Check Information - Type of inspection and/or status of review

1. City of Yucaipa - MMP

Compliance Date not Specified

Violation Description: This poultry ranch is in compliance with the City of Yucaipa Ordinance Number 216.

Not In Compliance

Inspector Comments:

Violation Reference: CCR - 216

Overall Inspection Comments

Inspection found:

Adult fly population light to moderate on ranch at time of inspection.

Pesticide log recorded use Neporex on 9/5 in houses 1 - 5 and on 9/6 in houses 6 - 12.

Ravap sprayed on 9/18 in houses 5, 6, 7, 8, and on 9/12 in houses 1, 3, 4.

Evergreen sprayed twice daily as an adulticide.

No active watering system leaks observed.

Overhead spray/ misting system on during inspection.

Wet manure from prior watering system leaks not treated with lime.

No violations observed.

Recommend use of lime on prior watering system leaks,
and use of Ravap.