



County of San Bernardino • Department of Public Health  
Division of Environmental Health Services

LAND USE PROTECTION PROGRAM

MOSQUITO AND VECTOR CONTROL - OFFICIAL INSPECTION REPORT

[www.sbcounty.gov/dehs](http://www.sbcounty.gov/dehs)

(800) 442-2283

FACILITY NAME <b>HOOVER RANCH #6</b>		DATE <b>12/19/2012</b>	SIGNATURE	
LOCATION <b>34618 AVENUE H, YUCAIPA, CA 92399</b>		REINSPECTION DATE <b>Not Specified</b>	PERMIT EXPIRATION <b>12/31/2012</b>	
MAILING ADDRESS <b>34618 AVENUE H, YUCAIPA, CA 92399</b>		<input checked="" type="checkbox"/> FACILITY <input type="checkbox"/> OWNER <input type="checkbox"/> ACCOUNT		
FA # <b>FA0007350</b>		PR # <b>PR0006297</b>	SR # <b>Not Specified</b>	CO # <b>Not Specified</b>
TIME IN <b>10:20 AM</b>		TIME OUT <b>11:05 AM</b>	CONTACT <b>Not Captured</b>	PE <b>4001</b>
REHS <b>LeeAnn Drouault</b>				
PROGRAM IDENTIFIER: None SERVICE: 001 - Inspection - Routine RESULT: 01 - Corrective Action Not Required ACTION: 01 - No Further Action Required				

**MOSQUITO AND VECTOR CONTROL - POULTRY RANCH PERMIT ALL**

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50

**Inspection Violations**

**Plan Check Information - Type of inspection and/or status of review**

**1. City of Yucaipa - MMP**

Compliance Date not Specified

Violation Description: This poultry ranch is in compliance with the City of Yucaipa Ordinance Number 216.

Not In Compliance

Inspector Comments:

Violation Reference: CCR - 216

**Overall Inspection Comments**

Inspection found:

Adult fly population rarely observed on ranch at time of inspection.

Pesticide log recorded use of Neporex on 11/21/12.

Spoke with Cirilo Neporex to be applied this week.

Manure on cement skirting to be removed.

No active watering system leaks observed.

No violations observed.