

County of San Bernardino • Department of Public Health ENVIRONMENTAL HEALTH SERVICES

LAND USE PROTECTION PROGRAM MOSQUITO AND VECTOR CONTROL - OFFICIAL INSPECTION

 SAN BERNARDINO
 HESPERIA
 RANCHO CUCAMONGA

 (909) 387-4608
 (760) 995-8154
 (909) 948-5058

FACILITY NAME HOOVER RANCH #6				DATE 5/18/2012	SIGNATURE	
LOCATION 34618 AVENUE H, YUCAIPA, CA 92399					REINSPECTION DATE Not Specified	PERMIT EXPIRATION 12/31/2012
OWNER/PERMITTEE HOOVER HERBERT		CONTACT Not Captured		Not Captured	PHONE	
MAILING ADDRESS 34618 AVENUE H , YUCAIPA, CA 92399					INSPECTOR LeeAnn Drouault	
FA# FA0007350	PR# PR0006297	Not Specified	Not Specified	PE 4001	PROGRAM IDENTIFIER: None SERVICE: 001 - Inspection - Routine	
1:00 PM	1:59 PM	Not Specified	EMAIL Not Specified		RESULT: 05 - Corrective Action- Follow up Required ACTION: 29 - Notice of Violation Issued	

MOSQUITO AND VECTOR CONTROL - POULTRY RANCH PERMIT ALL

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$104.00/hour.

Inspection Violations

PTR Violations

1. VectoMax WSP - Valent BioSciences

Comply by 5/25/2012 Violation Description:

Not In Compliance Inspector Comments:

Violation Reference:

Overall Inspection Comments

Inspection found:

Adult fly population moderate on ranch at time of inspection.

Pesticide log recorded use of Neporex 5/4 in houses 11 - 21, and on 4/25 in houses 1 - 10.

Ravap sprayed as an adulticide on 5/15/12.

Chickens removed from houses 1 - 10.

Manure removed from upper end houses.

No active watering system leaks observed.

Spoke w/ Miguel says lime is out and unable to treat wet manure.

Spoke w/ Cirilo he is to treat wet spots that are breeding w/ Ravap, he is also to spray Ravap as adulticide on Saturday,

Monday and Wednesday.

No violations observed.

Recommend not draining water into loading dock area next to egg room due to mosquito breeding in standing water. Standing water needs to be removed.

5290 (0190) - OBSERVATION OIR - ver8/10 DA\$000012 5/18/2012 2:00:00PM Page 1 of 1