



www.sbcounty.gov/dehs

County of San Bernardino • Department of Public Health
ENVIRONMENTAL HEALTH SERVICES

LAND USE PROTECTION PROGRAM
MOSQUITO AND VECTOR CONTROL - OFFICIAL INSPECTION

SAN BERNARDINO
(909) 387-4608

HESPERIA
(760) 995-8154

RANCHO CUCAMONGA
(909) 948-5058

FACILITY NAME HOOVER RANCH #6		DATE 5/24/2012	SIGNATURE	
LOCATION 34618 AVENUE H, YUCAIPA, CA 92399			REINSPECTION DATE Not Specified	PERMIT EXPIRATION 12/31/2012
OWNER/PERMITTEE HOOVER HERBERT	CONTACT Not Captured	TITLE Not Captured	PHONE	
MAILING ADDRESS 34618 AVENUE H, YUCAIPA, CA 92399			INSPECTOR LeeAnn Drouault	
FA # FA0007350	PR # PR0006297	SR # Not Specified	CO # Not Specified	PE 4001
TIME IN 12:09 PM	TIME OUT 12:29 PM	FAX Not Specified	EMAIL Not Specified	
PROGRAM IDENTIFIER: None SERVICE: 001 - Inspection - Routine RESULT: 01 - Corrective Action Not Required ACTION: 01 - No Further Action Required				

MOSQUITO AND VECTOR CONTROL - POULTRY RANCH PERMIT ALL

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$104.00/hour.

Inspection Violations

Plan Check Information - Type of inspection and/or status of review

1. City of Yucaipa - MMP

Compliance Date not Specified

Violation Description: This poultry ranch is in compliance with the City of Yucaipa Ordinance Number 216.

Complied on 5/24/2012

Inspector Comments:

Violation Reference: CCR - 216

Overall Inspection Comments

Inspection found:

Adult fly population moderate on ranch at time of inspection.

Pesticide log recorded use of Ravap as an adulticide on 5/18, 5/22, and Demand as an adulticide on 5/19/12.

No active watering system leaks observed.

Lime applied to wet manure from prior watering system leaks.

No violations observed.