



**LAND USE PROTECTION PROGRAM**  
**MOSQUITO AND VECTOR CONTROL - OFFICIAL INSPECTION REPORT**

[www.sbcounty.gov/dehs](http://www.sbcounty.gov/dehs)

**(800) 442-2283**

FACILITY NAME <b>HOOVER RANCH 7</b>					DATE <b>2/12/2013</b>	SIGNATURE	
LOCATION <b>35870 FIR ST, YUCAIPA, CA 92399</b>					REINSPECTION DATE <b>Not Specified</b>	PERMIT EXPIRATION <b>12/31/2012</b>	
MAILING ADDRESS <input type="checkbox"/> FACILITY <input type="checkbox"/> OWNER <input checked="" type="checkbox"/> ACCOUNT					REHS <b>LeeAnn Drouault</b>		
FA # <b>FA0006134</b>	PR # <b>PR0007018</b>	SR # <b>Not Specified</b>	CO # <b>Not Specified</b>	PE <b>4001</b>	PROGRAM IDENTIFIER: <b>CONVENTIONAL HOUSES A-H</b>		
TIME IN <b>1:31 PM</b>	TIME OUT <b>2:33 PM</b>	CONTACT <b>Not Captured</b>			SERVICE: 001 - Inspection - Routine RESULT: 01 - Corrective Action Not Required ACTION: 01 - No Further Action Required		

**MOSQUITO AND VECTOR CONTROL - POULTRY RANCH PERMIT ALL**

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended. Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50

**Inspection Violations**

**Plan Check Information - Type of inspection and/or status of review**

**1. City of Yucaipa - MMP**

**Compliance Date not Specified**      *Violation Description:* This poultry ranch is in compliance with the City of Yucaipa Ordinance Number 216.  
**Not In Compliance**      *Inspector Comments:*  
Violation Reference: CCR - 216

**Overall Inspection Comments**

Inspection found:  
Adult fly population light to rarely observed.  
Pesticide log recorded use of Neporex on 1/15/13.  
No active watering system leaks observed.  
Lime applied to wet manure from prior watering system leaks.  
No violations observed.