



www.sbcounty.gov/dehs

County of San Bernardino • Department of Public Health
Division of Environmental Health Services
LAND USE PROTECTION PROGRAM
MOSQUITO AND VECTOR CONTROL - OFFICIAL INSPECTION
REPORT

FACILITY NAME HOOVER RANCH 7					DATE 7/25/2012	SIGNATURE	
LOCATION 35870 FIR ST, YUCAIPA, CA 92399					REINSPECTION DATE Not Specified		PERMIT EXPIRATION 12/31/2012
MAILING ADDRESS 10550 JEFFERSON ST, YUCAIPA CA 92399					<input type="checkbox"/> FACILITY <input type="checkbox"/> OWNER <input checked="" type="checkbox"/> ACCOUNT REHS LeeAnn Drouault		
FA # FA0006134	PR # PR0007018	SR # Not Specified	CO # Not Specified	PE 4001	PROGRAM IDENTIFIER: CONVENTIONAL HOUSES A-H		
TIME IN 12:50 PM	TIME OUT 1:50 PM	CONTACT Not Captured			SERVICE: 001 - Inspection - Routine RESULT: 01 - Corrective Action Not Required ACTION: 01 - No Further Action Required		

MOSQUITO AND VECTOR CONTROL - POULTRY RANCH PERMIT ALL

Based on an inspection this day, the items marked below identify the violation(s) in operation or facilities which must be corrected. The Permittee has the right to a hearing if requested in writing within 15 calendar days of receipt of this notice, to show cause why the permit to operate should not be suspended or revoked.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge of \$61.25 per 15 minutes with a minimum time of 30 minutes, and a minimum charge of \$122.50

Inspection Violations

Plan Check Information - Type of inspection and/or status of review

1. City of Yucaipa - MMP

Compliance Date not Specified *Violation Description:* This poultry ranch is in compliance with the City of Yucaipa Ordinance Number 216.

Not In Compliance *Inspector Comments:*

Violation Reference: CCR - 216

Overall Inspection Comments

Inspection found:

- Adult fly population light on ranch at time of inspection.
- Pesticide log recorded use of Evergreen twice daily.
- No active watering system leaks observed.
- Overhead spray/ misting system on during inspection.
- Spoke to Miguel, lime to be applied to wet manure from prior watering system leaks.
- Adult fly bait stations also need maintenance.
- No violations observed.