



Public Health
Environmental Health Services

MOSQUITO AND VECTOR CONTROL - OFFICIAL INSPECTION REPORT

FACILITY NAME HOOVER RANCH 7		DATE 6/17/2015	REINSPECTION DATE Not Specified	PERMIT EXPIRATION 12/31/2014
LOCATION 35870 FIR ST, YUCAIPA, CA 92399			INSPECTOR Stacy Toynbee	
MAILING ADDRESS 10550 JEFFERSON ST, YUCAIPA CA 92399			IDENTIFIER: CONVENTIONAL HOUSES A-H	
<input type="checkbox"/> FACILITY <input type="checkbox"/> OWNER <input checked="" type="checkbox"/> ACCOUNT			SERVICE: 040 - VECTOR - BILLABLE INSPECTION SERVICE	
TIME IN 10:30 AM	TIME OUT 12:45 PM	FACILITY ID FA0006134	RELATED ID PR0007018	PE 4001
			RESULT: 05 - CORRECTIVE ACTION / FOLLOW UP REQU	
			ACTION: 29 - NOTICE OF VIOLATION ISSUED	

MOSQUITO AND VECTOR CONTROL - Poultry Ranch Permit ALL

40K043 Disposal - Unprocessed Manure

Comply by: 7/1/2015 **Inspector Comments:**
 Not In Compliance
 Reference - SBCC - 33.0920 (c)

Description: (1) Raw manure shall not be stockpiled or stored on the ranch premises for more than 15 days.
 (2) Any manure removed from under the poultry cages or the premises by any person, shall be processed and/or disposed of in a manner that will not create a fly nuisance.

40K044 Disposal - Waste Egg

Comply by: 7/1/2015 **Inspector Comments:**
 Not In Compliance
 Reference - SBCC - 33.0920 (d)(2)

Description: Waste eggs shall be disposed of by one of the following methods:
 (A) Placed daily in the dead bird disposal;
 (B) Placed in fly-tight containers or structures and removed from the premises at least weekly.

40K080 Maintenance - Drying Manure

Comply by: 7/1/2015 **Inspector Comments:**
 Not In Compliance
 Reference - SBCC - 33.0920 (a)(1)

Description: Structures and equipment for both ground and cage operations shall be constructed so as to facilitate the drying and removal of manure when required, and shall provide drainage of moisture away from all manure.

40K084 Maintenance - Water Systems

Comply by: 7/1/2015 **Inspector Comments:**
 Not In Compliance
 Reference - SBCC - 33.0920 (a)(2)

Description: All watering and cooling systems shall be so installed to prevent backflow and so maintained that they do not overflow, splash, or leak upon manure and feeds.

40K120 Operation - Drying and Coning

Comply by: 7/1/2015 **Inspector Comments:**
 Not In Compliance
 Reference - SBCC - 33.0920 (b)(1)

Description: If the commercial poultry ranch owner or operator employs the drying and coning operation method of manure management, the following shall be complied with:
 (A) The process shall begin on dry ground or on a pad of dry manure in order to harbor predators and parasites and to provide an absorbent surface for fresh droppings. A deeper pad of dry manure may be necessary if the area beneath the poultry cages is sunk below the levels of the aisles. If necessary, to facilitate drying, broken up fresh droppings shall be stirred or otherwise mixed with the dry pad until a satisfactorily dry condition is attained.
 (B) Any system used for watering the poultry shall be maintained so as to prevent water from reaching the manure. System leaks shall be promptly repaired so as not to disrupt the effectiveness of the drying method. When necessary, the watering system shall be changed or upgraded to eliminate future leaks.
 (C) All wet spots in the manure created by water leaks or diarrhetic poultry shall be thoroughly removed and replaced with an adequate base of dry material as necessary.
 (D) Whenever it becomes necessary to remove the manure from under the cages, a six to eight inch pad of dry manure shall be left to facilitate the drying of the new cones and maintain a habitat for predators and parasites by one of the following methods:
 (I) Removing every other row, then pushing half of the manure from the remaining row into the cleaned out row.
 (II) Cleaning so as to leave at least six to eight inches of manure in each row.
 (III) Cleaning out all manure and replacing it with at least a six to eight inch pad of dry manure from some other source.



Public Health
Environmental Health Services

MOSQUITO AND VECTOR CONTROL - OFFICIAL INSPECTION REPORT

FACILITY NAME HOOVER RANCH 7	DATE 6/17/2015
LOCATION 35870 FIR ST, YUCAIPA, CA 92399	INSPECTOR Stacy Toynbee

40K145 Operations - Fly Bait Stations

Comply by: 7/1/2015

Inspector Comments:

Not In Compliance

Reference - SBCC - 33.0919 (a)

Description: Fly bait stations, when required by DEHS and approved by DEHS, shall be maintained in an operable condition on each cage operation type ranch or other fly breeding place. The number of fly bait stations shall be determined by DEHS.

Overall Inspection Comments

Inspection found adult fly population decreasing on ranch. Twice daily adulticiding showing effectiveness. Needs to continue.
 Heavy larva present in areas from last weeks water leaks. Both Fannia and Musca larva found in early stages. Heaviest in Building 1 houses A, B and C. Also found large leak causing pooling where ground house and house F join. Multiple leaks again found in houses A, B, C, and F.
 Lime has been applied to prior leaks but not current active leaks. Repairs needed to cooling systems and to cups. Wet manure needs to be removed, treated and dried. Replaced with dry material.
 Houses A, B, C and F need to be treated with larvicide or IGR if proven to be effective.
 Pesticide log shows no IGR or Larvicide application in last 3 weeks.
 Waste eggs still found in large numbers in manure. Waste egg barrel empty.
 Bait stations dry or not stirred.
 Manure pulled out from houses last week has not been dried properly and is breeding.

Violations found. NOV issued
 Inspection billed.

Signature(s) of Acknowledgement

NAME:
 TITLE:

Total # of Images: 0